



Tamo™

The ark Tamo Range

Keep your keys secure and accessible at the point of need with a maximum security key safe - a durable, wall-mounted solution designed for safe and convenient key storage. The **ark Tamo™** range is the most secure push-button key safe on the market.

The highest security rating in its class

Featuring pioneering technology and built to industry leading security specifications, the **ark Tamo™** range features the most secure mechanical key safes in the world.

Certified by industry professionals

Certified by third-party security authorities, the Loss Prevention Certification Board and 'Secured by Design' (the official home security scheme from UK police), **ark Tamo™** and **ark Tamo™Pro** are the world's first and only push-button key safes to have achieved the LPS1175 Issue 8 A10 and B1 attack security rating.



Rigorously and independently attack tested, endorsed by law enforcement agencies, ISO tested and LPCB certified, with stringent international quality and security benchmarks, the **ark Tamo™** range are the most secure mechanical key safes on the market.



Attack tested



Most secure



5 year guarantee*



Highly durable

*2 years standard, 5 years when registered on [keysafe.co.uk](https://www.keysafe.co.uk) - illumination module not included.





Everything you need to know about the **ark Tamo™** range

A world-first multi-push keypad

The **ark Tamo™** range has a multi-push mechanism which has taken code security to a whole new level.

Our unique multi-push keypad means each digit can be used in a code up to 4 times, creating an impressive 9.7 million possible code combinations (we've done the maths). No other key safe comes close.

It also means choosing a memorable code has never been easier. Thanks to the freedom of multi-push technology, you can pick a longer code that includes repeated numbers, allowing you to set one that you can easily remember.

Patented illumination technology

The **ark Tamo™** range features a patented illumination module that lights up the easy-press buttons and the internal compartment - so you can come or go, night and day.

- Battery powered illumination - no additional power required
- Maximum visibility with large backlit buttons
- Fast, secure access to your home around the clock
- The key safe can be opened and closed even if the batteries need replacing

The illumination module means **ark Tamo™** key safes are particularly suited to users who wish to use the key safe in all lighting conditions.

Crime prevention

Designed to prevent unauthorised access and withstand malicious attacks, ark Tamo has been built using robust materials and features an advanced locking mechanism

Created for easy use

We've designed the ark Tamo™ range with comfort in mind.

The large, backlit easy-press buttons make using the key safe simple, even for the less dexterous. No more fiddly buttons - just effortless access.

How can ark Tamo™ key safes be used?

The ark Tamo™ range of key safes have many applications including access for at home healthcare and in-home services such as cleaners or dog sitters, remote sites, holiday homes, property management, equipment storage, after-hours delivery, alarm or emergency access, as well as providing secure storage for spare keys and emergency entry if you are locked out or have lost your keys.



Kids



Roommates



Airbnb



Family & friends



Childcare



Cleaners



Dog walkers



Carers





Key features of the ark Tamo™ range



Attack resistant

Featuring hardened anti-saw reinforcement pins, coned, anti-drill hinge pins, a clamshell anti-prise design with an additional advanced anti-pick mechanism, providing unrivalled security.



Illuminated buttons & vault

Clear visibility day and night thanks to our patented illumination technology. No additional power source required.



Ultra high code security & multi-push buttons

Patented multi-push keypad allows the same button to be pressed up to 4 times, resulting in 9.7 million possible



Easy installation

All fixtures and fittings are provided in the box, as well as a simple marking template to ensure correct installation.





Comfortable use

Large 7mm soft-touch illuminated buttons, ergonomic knob and hinged lid allow easy one handed use for all ages and dexterities.



Longevity & reliability

Made from Zinc Alloy known for its strength, anti-corrosive properties and attack resistance



Large capacity

Two internal hooks keep keys tidy with plenty of room for up to 6 keys, fobs and access cards. You can easily and safely retrieve and replace your keys without the hassle of them falling out.



All weather durability

Designed for outdoor use, ark Tamo™ is rust and water resistant with a weather resistant cover made from toughened plastic for further protection.





Tamo™

The original maximum security
mechanical key safe

The original ark Tamo™ concept was created following intensive research, testing and development. The patented technology features advanced, world class anti-pick, tamper and pry mechanisms, simply incomparable to a standard key safe.

*“This key safe is, in my opinion,
the best on the market - it feels
impenetrable and made of super
sturdy metals. It gives me great
peace of mind knowing my keys
are safe”*



Dimensions

Dimensions Exterior Excluding Weather Cover (HxWxD)	150mm x 77mm x 72mm
Dimensions Exterior Including Weather Cover (HxWxD)	160mm x 85mm x 75mm
Dimensions Interior (HxWxD)	93mm x 58mm x 21mm
Weight	2.1kg

Regulatory Compliance

Security Rating	LPS 1175: Issue 8, A10 When fitted with the supplied fittings on brickwork, concrete or stone. When above surfaces are rendered (up to 20mm), alternative fitting kit WPS001FK must be used.
UK and European Union	EMC – SI 2016/1091 and 2014/30/EU
RoHS Compliant	RoHS – SI 2012/3032 and 2011/65/EU

Environmental

Operating Temperature	-30°C to +50°C
Cyclic Humidity	Maximum relative humidity of 96%rh
Chemical Resistance	Resists damage from common household cleaners
Dust and Water Resistance	IP55 (limited ingress permissible)
Salt Mist	2 hour salt spray at +35°C 22 hour storage at +40°C

Power

Illumination Module Battery	Included: Replaceable 3-Volt coin cell battery, type: CR2032 The key safe is not reliant on power to operate. Replacement illumination module with battery available.
Lithium Metal Battery	Up to 0.4g lithium content. Contained in the equipment (UN3091). Battery complies with UN 38.3.

Ordering & Spare Parts

960002	ark Tamo™ Key Safe
AP001	Fitting Pack - 5mm Masonry Drill Bit and T30 Screwdriver
WPS001FK	Alternative Fitting Kit for Rendered Brickwork, Concrete and Stone - 4 off Wall Plugs and Heavy Duty Screws
AP003	Fitting Pack for WPS001FK - 8mm Masonry Drill Bit and T30 Torx Bit
910006	Illumination Module + coin cell battery
910003	ark Tamo™ Weather Cover
MPK311	Standard Security Screws (Fitting Screws for ark Tamo and Tamo Pro) for brickwork, concrete, stone and single walls. 4x 60mm screws self-tapping screws (as supplied with product)





Tammo™ Pro

The world's most secure push-button key safe
with **enhanced security features**

Enhanced security

Using the original **ark Tammo™** patented mechanism, the **ark Tammo™ Pro** has been adapted with the ambition to create an even more secure key safe, designed with commercial security standards in mind.

The highest security rating in its class

The **ark Tammo™ Pro** achieves LPS1175 Issue8 A10 & B1 attack security rating from LPCB (Loss Prevention Certification Board) - making it the most secure mechanical key safe in the world.

This was possible thanks to additional security features, including:

- Additional hardened anti-saw pins
- A stainless steel internal vault



Dimensions

Dimensions Exterior Excluding Weather Cover (HxWxD)	150mm x 77mm x 72mm
Dimensions Exterior Including Weather Cover (HxWxD)	160mm x 85mm x 75mm
Dimensions Interior (HxWxD)	90mm x 55mm x 19mm
Weight	2.2kg

Regulatory Compliance

Security Rating	LPS 1175: Issue 8, B1 – using XL Security Screws and Wall Plugs WPS001FK LPS 1175: Issue 8, A10- using Standard Security Screws MPK311
UK and European Union	EMC – SI 2016/1091 and 2014/30/EU
RoHS Compliant	RoHS – SI 2012/3032 and 2011/65/EU

Environmental

Operating Temperature	-30°C to +50°C
Cyclic Humidity	Maximum relative humidity of 96%/rh
Chemical Resistance	Resists damage from common household cleaners
Dust and Water Resistance	IP55 (limited ingress permissible)
Salt Mist	2 hour salt spray at +35°C 22 hour storage at +40°C

Power

Illumination Module Battery	Included: Replaceable 3-Volt coin cell battery, type: CR2032 The key safe is not reliant on power to operate. Replacement illumination module available.
Lithium Metal Battery	Up to 0.4g lithium content. Contained in the equipment (UN3091). Battery complies with UN 38.3.

Ordering & Spare Parts

960019	ark Tamo™ Pro Key Safe
AP003	Fitting Pack for WPS001FK - 4mm Masonry Drill Bit, 8mm Masonry Drill Bit and T30 Torx Bit
WPS001FK	XL Security Screws (Alternative Fitting Kit for Rendered Brickwork, Concrete and Stone) - 4 x Wall Plugs and Heavy Duty Screws Fitting kit contains - 100mm screws and wall plugs to achieve B1 security approval against LPS1175 on brickwork, concrete or stone and on rendered walls, inclusive of render up to 20mm deep. The screws and wall plugs may cause damage to a single skin wall. We highly recommend that you use the fitting kit, if possible, to achieve the highest security certification.
AP001	Fitting Pack - 5mm Masonry Drill Bit and T30 Screwdriver
910006	Illumination Module + coin cell battery
910003	ark Tamo™ Pro Weather Cover
MPK311	Standard Security Screws (Fitting Screws for ark Tamo and Tamo Pro) for brickwork, concrete, stone and single walls. 4x 60mm self-tapping screws (as supplied with product) The fitting screws achieve A10 security approval against LPS1175 on brickwork, concrete or stone. The screws are recommended to be used on single skin walls.



LP
117
LPCB
5092

UK CA CE

EU Patents: 14541273, 12411960
US Patents: 10271836, 10547542

Tamo™

Compare the ark **ark Tamo™** range

Recommended by police

Maximum Security



ark **Tamo™**
Maximum Security



ark **Tamo™ Pro**
Maximum Security

	ark Tamo™ Maximum Security	ark Tamo™ Pro Maximum Security
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
In the world's most secure mechanical key safe range	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Independently attack tested to LPCB B1 standard	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Independently attack tested to LPCB A10 standard	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Illuminated buttons and interior for use night and day	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stainless steel interior vault for added protection	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Same digit can be used up to 4 times in a code	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9.7m possible code combinations	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Large easy-press buttons for one-handed use	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Advanced anti-pick mechanism	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Coned, anti-drill hinge pins	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Anti-saw reinforcement pins	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Additional anti-saw reinforcement pins	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Unlimited code changes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Weather cover included	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Unlock greater freedom with **ark Tamo**™



Safely share keys with loved ones and service providers such as cleaners or dog walkers



Fast access for emergency services and carers without needing to answer the door



Peace of mind as a backup for lost keys, or if you are locked out



Securely store keys when exercising or enjoying the outdoors, night or day

Optional installation service

arkTamo™ key safe can be easily installed by a competent DIY'er. If you would rather leave it to us, a nationwide installation service is available from The Key Safe Company for an additional fee.*

Our installers will contact you within 5-7 working days of receipt of your order to arrange installation.

*Available in the UK only. Some areas may not be covered.

Please contact us to check availability.







UK Leading Manufacturer -
trusted by over 3 Million

5 year extended warranty

The ark Tamo™ police preferred key safe range comes with 2 years warranty as standard. You can extend this warranty to 5 years when registered on The Key Safe Company website. Only for mechanical parts.

The illumination module is covered by 2 years warranty.
Batteries are replaceable.

Number one for secure key storage



keysafe
ark Life